ELSEVIER

Biomembranes

Vol. 1417, 1999

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Akhoundova, A., see Reinhardt, J. (1417) 131
Aranda, F.J., see Sánchez-Piñera, P. (1417) 202

Becker, F.F., see Huang, Y. (1417) 51
Bender, V.J., see Cameron, F.H. (1417) 37
Bernhardt, I., see Kaestner, L. (1417) 9
Boggs, J.M., Rangaraj, G. and Koshy, K.M.
Analysis of the membrane-interacting domains of myelin basic protein by hydrophobic photolabeling (1417) 254
Bollensdorff, C., see Kaestner, L. (1417) 9
Buboltz, J.T., see Huang, J. (1417) 89
Buboltz, J.T. and Feigenson, G.W.
A novel strategy for the preparation of liposomes: rapid solvent exchange (1417) 232

Cameron, F.H., Moghaddam, M.J., Bender, V.J., Whittaker, R.G., Mott, M. and Lockett, T.J.
A transfection compound series based on a versatile Tris linkage (1417) 37
Chang, A.S. and Chang, S.M.
Nongenomic steroidal modulation of high-affinity serotonin transport (1417) 157
Chang, S.M., see Chang, A.S. (1417) 157
Chen, Q., see Thomas, M.J. (1417) 144
Clauss, W., see Reifarth, F.W. (1417) 63

de Godos, A., see Sánchez-Piñera, P. (1417) 202
Dekel, C., see Reinhardt, J. (1417) 131
Dörner, A., Olesch, M., Giessen, S., Pauschinger, M. and Schultheiss, H.-P.
Transcription of the adenine nucleotide translocase isoforms in various types of tissues in the rat (1417) 16
Durvasula, R.V. and Huang, C.
Hydrocarbon chain packing and the effect of ethanol on the thermotropic phase behavior of mixed-chain phosphatidylglycerols (1417) 101
Durvasula, R.V. and Huang, C.
Thermotropic phase behavior of mixed-chain phosphatidylglycerols: implications for acyl chain packing in fully hydrated bilayers (1417) 111

Elsner, P., see von Grumbckow, L. (1417) 267

Feigenson, G.W., see Huang, J. (1417) 89
Feigenson, G.W., see Buboltz, J.T. (1417) 232

Gaburjáková, M., Schlossmann, J. and Ondriaš, K.
Properties of a new calcium-permeable single channel from tracheal microsomes (1417) 25
Gambaryan, S., see Reinhardt, J. (1417) 131
Garrett, F.E., Goel, S., Yasul, J. and Koch, R.A.
Liposomes fuse with sperm cells and induce activation by delivery of impermeant agents (1417) 77
Gascoyne, P.R.C., see Huang, Y. (1417) 51
Gedde, M.M., Yang, E. and Huestis, W.H.
Resolution of the paradox of red cell shape changes in low and high pH (1417) 246
Giessen, S., see Dörner, A. (1417) 16
Goel, S., see Garrett, F.E. (1417) 77
Gómez-Fernández, J.C., see Sánchez-Piñera, P. (1417) 202

Hantgan, R., see Thomas, M.J. (1417) 144
Hardwicke, P.M.D., Ryan, C. and Kalabokis, V.N.
A novel small protein associated with a conjugated trienoic chromophore from membranes of scallop adductor muscle: phosphorylation by protein kinase A (1417) 1
Hellsten, Y., see von Grumbckow, L. (1417) 267
Hodges, R.S., see Prenner, E.J. (1417) 211
Hope, M.J., see Klimuk, S.K. (1417) 191
Huang, J., Buboltz, J.T. and Feigenson, G.W.
Maximum solubility of cholesterol in phosphatidylcholine and phosphatidylethanolamine bilayers (1417) 89
Huang, Y., Wang, X.-B., Gascoyne, P.R.C. and Becker, F.F.
Membrane dielectric responses of human T-lymphocytes following mitogenic stimulation (1417) 51
Huang, C., see Durvasula, R.V. (1417) 101
Huang, C., see Durvasula, R.V. (1417) 111
Huestis, W.H., see Gedde, M.M. (1417) 246

Inui, K., see Okuda, M. (1417) 224

Juel, C., see von Grumbckow, L. (1417) 267

Kaestner, L., Bollensdorff, C. and Bernhardt, I.
Non-selective voltage-activated cation channel in the human red blood cell membrane (1417) 9
Kalabokis, V.N., see Hardwicke, P.M.D. (1417) 1
Kamo, N., see Yang, Q. (1417) 122
Klimuk, S.K., Semple, S.C., Scherrer, P. and Hope, M.J.
Contact hypersensitivity: a simple model for the characterization of disease-site targeting by liposomes (1417) 191
Koch, R.A., see Garrett, F.E. (1417) 77
Koepsell, H., see Reinhardt, J. (1417) 131
Kondejewski, L.H., see Prenner, E.J. (1417) 211
Korn, T., see Reinhardt, J. (1417) 131
Koshy, K.M., see Boggs, J.M. (1417) 254
Koynova, R., see Tenchov, B. (1417) 183
Krasilnikov, O.V., Merzlyak, P.G., Yuldasheva, L.N., Rodrigues, C.G. and Nogueira, R.A.
Heparin influence on α-staphylotoxin formed channel (1417) 167

Lewis, R.N.A.H., see Prenner, E.J. (1417) 211
Liu, X.-Y., see Yang, Q. (1417) 122
Lockett, T.J., see Cameron, F.H. (1417) 37
Lyles, D., see Thomas, M.J. (1417) 144

Martin-Castillo, B. and Portillo, F.
Characterization of non-dominant lethal mutations in the yeast plasma membrane H^+-ATPase gene (1417) 32
McElhaney, R.N., see Prenner, E.J. (1417) 211
Merzlyak, P.G., see Krasilnikov, O.V. (1417) 167
Micol, V., see Sánchez-Piñera, P. (1417) 202
Miyake, J., see Yang, Q. (1417) 122
Moghaddam, M.J., see Cameron, F.H. (1417) 37
Mott, M., see Cameron, F.H. (1417) 37

Nogueira, R.A., see Krasilnikov, O.V. (1417) 167

Okuda, M., Urakami, Y., Saito, H. and Inui, K.
Molecular mechanisms of organic cation transport in OCT2-expressing *Xenopus* oocytes (1417) 224
Olesch, M., see Dörner, A. (1417) 16
Ondriaš, K., see Gaburjáková, M. (1417) 25

Pang, K., see Thomas, M.J. (1417) 144
Pauschinger, M., see Dörner, A. (1417) 16
Portillo, F., see Martin-Castillo, B. (1417) 32
Prenner, E.J., Lewis, R.N.A.H., Kondejewski, L.H., Hodges, R.S. and McElhaney, R.N.
Differential scanning calorimetric study of the effect of the antimicrobial peptide gramicidin S on the thermotropic phase behavior of phosphatidylcholine, phosphatidylethanolamine and phosphatidylglycerol lipid bilayer membranes (1417) 211

Quistorff, B., see von Grumbckow, L. (1417) 267

Rangaraj, G., see Boggs, J.M. (1417) 254
Rapp, G., see Tenchov, B. (1417) 183
Rappolt, M., see Tenchov, B. (1417) 183
Reifarth, F.W., Clauss, W. and Weber, W.-M.
Stretch-independent activation of the mechanosensitive cation channel in oocytes of *Xenopus laevis* (1417) 63
Reinhardt, J., Veyhl, M., Wagner, K., Gambaryan, S., Dekel, C., Akhoundova, A., Korn, T. and Koepsell, H.
Cloning and characterization of the transport modifier RS1 from rabbit which was previously assumed to be specific for Na^+-D-glucose cotransport (1417) 131
Rodrigues, C.G., see Krasilnikov, O.V. (1417) 167
Ryan, C., see Hardwicke, P.M.D. (1417) 1

Saito, H., see Okuda, M. (1417) 224
Sánchez-Piñera, P., Aranda, F.J., Micol, V., de Godos, A. and Gómez-Fernández, J.C.
Modulation of polymorphic properties of dielaidoylphosphatidylethanolamine by the antineoplastic ether lipid 1-*O*-octadecyl-2-*O*-methyl-glycero-3-phosphocholine (1417) 202
Scherrer, P., see Klimuk, S.K. (1417) 191
Schlossmann, J., see Gaburjáková, M. (1417) 25
Schultheiss, H.-P., see Dörner, A. (1417) 16
Semple, S.C., see Klimuk, S.K. (1417) 191

Tenchov, B., Koynova, R., Rappolt, M. and Rapp, G.
An ordered metastable phase in hydrated phosphatidylethanolamine: the Y-transition (1417) 183
Thomas, M.J., Pang, K., Chen, Q., Lyles, D., Hantgan, R. and Waite, M.
Lipid exchange between mixed micelles of phospholipid and triton X-100 (1417) 144

Umetani, K., see Yang, Q. (1417) 122
Urakami, Y., see Okuda, M. (1417) 224

Veyhl, M., see Reinhardt, J. (1417) 131
von Grumbckow, L., Elsner, P., Hellsten, Y., Quistorff, B. and Juel, C.
Kinetics of lactate and pyruvate transport in cultured rat myotubes (1417) 267

Wagner, K., see Reinhardt, J. (1417) 131
Waite, M., see Thomas, M.J. (1417) 144
Wang, X.-B., see Huang, Y. (1417) 51
Weber, W.-M., see Reifarth, F.W. (1417) 63
Whittaker, R.G., see Cameron, F.H. (1417) 37

Yang, E., see Gedde, M.M. (1417) 246
Yang, Q., Liu, X.-Y., Umetani, K., Kamo, N. and Miyake, J.
Partitioning of triphenylalkylphosphonium homologues in gel bead-immobilized liposomes: chromatographic measurement of their membrane partition coefficients (1417) 122
Yasul, J., see Garrett, F.E. (1417) 77
Yuldasheva, L.N., see Krasilnikov, O.V. (1417) 167